

CARRIAGE HOUSE STEEL



Westfield panel, Clay finish, Arched Stockton windows, Decorative hardware

DOOR FEATURES

Pinch-Resistant Door Panels


Help prevent finger injuries while the door is closing.

Foamed-In-Place Polyurethane Insulation

Provides thermal efficiency with a U-factor* of 0.27 and an R-value** of 10, helps block street noise and makes the door operate more quietly.

Bottom Weather Seal

This bulb shaped seal blocks draft and debris from entering the garage.



High Cycle Spring Option

Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring.

TorqueMaster® Plus Counterbalance System

Contains springs safely inside a steel tube to prevent accidental release of tension that could cause injury and features anti-drop safety technology.

Wind Load Options



Model 9405 is available with hardware and reinforcements to comply with building codes in regions with high winds.


Limited Lifetime Warranty




*U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.

**Wayne Dalton uses a calculated door section R-value for our insulated doors.


1 Choose Your Style




Westfield




Newport




Providence




Oak Park




Lexington




Charleston



Bellview



Hampton



Camden

Available in 8', 9', 10', 15', 16' and 18' wide by 7' and 8' high. Doors measuring over 15' wide come with a double-car door design, which is equivalent to 2 single-car doors side by side. See dealer for details on double car door designs for Hampton and Camden.

2 Choose Your Color

Painted Finishes



White (Standard)



Almond




Clay



Gray



Green



Brown

Two-Toned Painted Finishes

All door sections will be painted in the color chosen. All trim pieces will be white.



Green/White



Gray/White



Clay/White



Wayne Dalton's custom painting process offers more than 6,000 colors. See dealer for details.

3 Choose Your Windows



Cascade III



Clear II



Stockton III



Arched Stockton



Stockbridge



Waterton III



Arched Stockton Single



Arched Stockton Double

Glass Options



Clear




Gray Tinted




Green Tinted



Bronze Tinted




Obscure



Satin Etched Privacy

4 Choose Your Decorative Hardware




Arrow




Aspen



Barcelona



Bean



Conifer




Fleur De Lis



Spear

AFTER

BEFORE



Lexington panel, White finish, Stockton III windows, Decorative hardware



Garage Door Design Center

To see this door on your home, visit wayne-dalton.com, or download our Garage Door Design Center app. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.

THERMAL PERFORMANCE



Wayne Dalton participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.



Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.

Wayne Dalton
GARAGE DOORS

2501 S. State Hwy. 121 Bus., Ste 200
Lewisville, TX 75067

wayne-dalton.com



DISTRIBUTED BY:

Wayne Dalton Sales Center of Windsor
13425 Desro Dr,
Tecumseh, ON N9K 0B7, Canada
(519) 735-7790